

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

Re 09/970,409 - EAST 1.3

BRS	L1	3369	edit\$3 same tool		
			USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 14:27	
BRS	L2	3418	auto or automatic\$4)same(generat\$3 or creat\$3)same(window or dialog adj1		
box			USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 14:29	
BRS	L3	226	l1 and l2		
			USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 15:24	
BRS	L4	6	menu same(finite or predetermin\$4)same(program\$4 near5 statement\$1)		
			USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 15:08	
BRS	L5	2	l3 and l4		
			USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 15:11	
BRS	L6	37	assist\$3 or select\$3 or sugest\$3) same menu same(program\$4 near5		
statement\$1					
			USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 15:23	
BRS	L7	2	l3 and l6USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25	
15:11					
IS&R	L8	168	(717/110-113).CCLS.		
			USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 15:11	
IS&R	L9	1359	(345/710,714-716,762-764,781,808,809,825).CCLS.		
			USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 15:11	
IS&R	L10	1323	(707/512,530,531,534).CCLS.		
			USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 15:12	
BRS	L11	3	l6 and l8		
			USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 15:14	
BRS	L12	48	l3 and (l9 or l10)		
			USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 15:15	
BRS	L13	4	assist\$3 or select\$3 or sugest\$3) same menu same(program\$4 near5		
statement\$1					
			US-PGPUB	2002/11/25 15:24	
BRS	L14	0	l1 and l2	US-PGPUB	2002/11/25 15:24

Brief Summary Text - B8TX (24):

Selection **menu** information in an assist window includes any **link** list of previously declared entities and/or entity types that can validly be included at the present character position cursor location in a **programming language statement**. A selection **menu** includes at least one **menu** item. The set of the at least one **menu** item in a given selection **menu** is defined by the portion of the **programming language statement** that immediately precedes the present character position cursor location. A **menu** item being displayed in a selection **menu** can be accepted by the programmer in a manner that results in the selected **menu** item being automatically inserted into the immediate **programming language statement** at the present character position cursor location without the programmer having to type any or all of the characters of the selected **menu** item. Thus, a selection **menu** assist window supplies information about a **programming language statement** and the ability to build it on part of a **programming language statement** in a manner that the programmer can use or ignore individually or in combination according to the programmer's immediate needs.

Detailed Description Text - DETX (8):

A selection **menu** assist window displays a **link** list of syntactically valid **menu** items that are based on previously defined object entities. Each **menu** item in a given selection **menu** assist window is also only applicable to the immediate section of the **programming language statement** that is proximate to the character position cursor on the programmer's display screen. Choosing from the **link** list of **menu** items saves the programmer from having to independently recall the list of valid possibilities that can be used to complete an

	U	Document ID	Current OR	Pages	Title
1	<input type="checkbox"/>	US 6311323 B1	717/111	25	Computer programming language statement building and informati
2	<input type="checkbox"/>	US 6026233 A	717/113	24	Method and apparatus for preser selecting options to modify a
3	<input type="checkbox"/>	US 6667091 A	726/37	41	Video display controller, user int and programming structure for s
4	<input type="checkbox"/>	US 6408603 A	345/763	65	Global process control informati system and method
5	<input type="checkbox"/>	EP 292647 A2			Operator assistance method for processing.
6	<input type="checkbox"/>	US 6667091 A			Display controller for video displ

United States Patent Shulman et al.

Patent No.: US 6,311,323 B1
Date of Patent: Oct. 30, 2001

(54) COMPUTER PROGRAMMING LANGUAGE STATEMENT BUILDING AND INFORMATION TOOL

(75) Inventors: Matthew Shulman, Bellevue; Matthew James Curland, Redmond; Martin Chelms, Redmond; David Anthony Sobek, Redmond, all of WA (US)

(73) Assignee: Microsoft Corporation, Redmond, WA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a written disclaimer.

(21) Appl. No.: 09/391,087

(22) Filed: Sep. 7, 1999

Related U.S. Application Data

(63) Continuation of application No. 08/853,822, filed on May 27, 1997, now Pat. No. 6,126,233.

(51) Int. Cl. G06F 9/45

(52) U.S. Cl. 717/1; 717/4; 717/5; 345/337; 345/338

(56) Field of Search 345/337, 338, 353; 707/534; 717/1, 4, 5

References Cited

U.S. PATENT DOCUMENTS

5,006,902 * 4/1991 Skolch 708/58
5,263,174 * 11/1993 Layman 345/333
5,377,318 * 12/1994 Weber 345/347

(List continued on next page.)

OTHER PUBLICATIONS

Hugari, A.; Metwally, A.; Dagady, L.; Abu El Saadat, W.; El-Kadi, A.; El-Kasas, S.; "Visual Craft: A Visual Integrated Development Environment"; Proceedings of the Second IEEE Symposium on Computers and Communications, pp. 210-214, Jul. 1997.
Trevino, L.; Schridge, P.; "Intelligent Assistance for Software Construction: A Case Study"; Proceedings of the Ninth Knowledge-Based Software Engineering Conference, pp. 14-21, Sep. 1994.


(List continued on next page.)

Primary Examiner—Reba I. Elmore
(74) Attorney, Agent, or Firm—Leydig, Velt & Mayer, Ltd.

ABSTRACT


An intelligent real time tool to assist a computer programmer during the writing and/or maintenance of a computer program. The tool generates assist windows that contain program related information that the programmer can use to construct a programming language statement and/or to obtain real time information about a programming language statement. An assist window can be automatically displayed as determined by the tool itself, and/or manually displayed on demand in response to a user input command. An assist window displays two general categories of information including but not limited to selection menu information based on a partial compilation of all programming language statements, and informational displays based on a partial compilation and a reverse parse of an immediate programming language statement. The statement generating tool assist windows are non-intrusive to programmer input and can be ignored by the programmer by merely continuing to type an immediate programming language statement without interacting with the assist windows that are proximate the programming language statement being constructed by the programmer.

37 Claims, 11 Drawing Sheets



 Details
 Text
 Image
 HTML
 KWIC

8 Claims, 11 Drawing Sheets



digitally encoded control program data stored in said memory devices and effective on execution by said microcontroller for modifying said video signals in predetermined manners in response to predetermined image directing signals, said program data having at least two layered statements executed sequentially, each said statement being a selected one of a menu statement and a flow statement, said menu statement having at least a description portion for directing a display to a user and selectively having an action portion for directing data structure flow to another statement, said flow statement having at least an action portion for directing data structure flow to another statement and selectively having a description portion for directing a display to a user, each of said menu and flow statements which has both description and action portions also having a unique connector character disposed between said

portions for identifying the distinction therebetween.

Claims Text - CLTX (22):

digitally encoded control program data stored in said memory devices and effective on execution by said microcontroller for modifying said video signals in predetermined manners in response to predetermined image directing signals, said program data having at least two layered statements executed sequentially, each said statement being a selected one of a menu statement and a flow statement, said menu statement having at least a description portion for directing a display to a user and selectively having an action portion for directing data structure flow to another statement, said flow statement having at least an action portion for directing data structure flow to another statement and selectively having a description portion for directing a display

U	Document ID	Current OR	Pages	Title
1	US 6311323 B1	717/111	25	Computer programming language statement building and informati
2	US 6026233 A	717/113	24	Method and apparatus for preser selecting options to modify a
3	US 5657091 A	725/37	41	Video display controller, user int and programming structure for s
4	US 5408603 A	346/763	65	Global process control informati system and method
5	EP 292647 A2			Operator assistance method for processing.
6	US 5667091 A			Display controller for video displ

United States Patent (19)

Bertram



US005657091A

(11) Patent Number: 5,657,091

(43) Date of Patent: *Aug. 12, 1997

(54) VIDEO DISPLAY CONTROLLER, USER INTERFACE AND PROGRAMMING STRUCTURE FOR SUCH INTERFACE

(75) Inventor: Randal Lee Bertram, Raleigh, N.C.

(73) Assignee: International Business Machines Corporation, Armonk, N.Y.

(*) Note: The term of this patent shall not extend beyond the expiration date of Pat. No. 5,348,340.

(21) Appl. No.: 631,626

(22) Filed: Nov. 1, 1996

(51) Int. Cl. 6: H04N 5/44

(52) U.S. Cl.: 348/559; 348/588; 348/589; 348/734; 348/713; 381/61

(58) Field of Search: 348/734, 725, 348/601, 906, 473, 563-565, 589, 348/713, 167, 157, 161; 359/146; 381/61; 453/42, 359/152; ED047 544

(56) References Cited

U.S. PATENT DOCUMENTS


5,338,678 7/1996 Bertram et al. 348/734
5,348,340 8/1996 Bertram 348/259

Primary Examiner—Gordon B. Burges
Attorney, Agent, or Firm—Daniel B. McCord

ABSTRACT

The use of video/audio signal streams such as in the past have been distributed by broadcast over radio frequency bands or by cable distribution, or made available from video recorder/player devices such as cassette recorders or video disc players, or made available from direct, live sources such as cameras, game systems or computers. In accordance with this invention, programs stored in memory devices associated with microcontrollers controlling the display to a user are constructed in a language which uses layered statements, each of which can have a description portion, an action portion, and a unique connecting character.

6 Claims, 17 Drawing Sheets




portions for identifying the distinction therebetween.

Claims Text - CLTX (53):

Details Text Image HTML KWIC

Details Text Image HTML

6 Claims, 17 Drawing Sheets



US-PAT-NO: 5408603

DOCUMENT-IDENTIFIER: US 5408603 A

TITLE: Global process control information system and method

_____ KWIC _____

Detailed Description Text - DETX (128):

Frequently, the user will want to follow a thread or sequence of displays, backtracking or moving forward through related program statements to locate which program statement is in control of a portion in question of the overall process. This may be conveniently done by selecting the previous pipe button 224 on the main menu bar. See FIG. 15g. Depressing the previous pipe button causes a pull-down menu to appear below the button in which a predetermined number of the variable names last displayed are listed. The previous pipe button is quite handy, since often a user will want to reselect for display a program statement which was recently displayed. The previous pipes list is reset or cleared when a different computer is selected via the computer selection button 204.

Details Text Image HTML KWIC

	U	4	Document ID	Current OR	Pages	Title
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6311323 B1	717/111	26	Computer programming language statement building and informati
2	<input type="checkbox"/>	<input type="checkbox"/>	US 6026233 A	717/113	24	Method and apparatus for preser selecting options to modify a
3	<input type="checkbox"/>	<input type="checkbox"/>	US 6667091 A	726/37	41	Video display controller, user Int and programming structure for s
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5408603 A	345/763	65	Global process control informati system and method
6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EP 292647 A2			Operator assistance method for r processing.
6	<input type="checkbox"/>	<input type="checkbox"/>	US 6667091 A			Display controller for video displ

Details Text Image HTML

United States Patent [19]

Van de Lervu et al.

US 5408603 A

[11] Patent Number: 5,408,603

[45] Date of Patent: Apr. 18, 1995

[54] GLOBAL PROCESS CONTROL INFORMATION SYSTEM AND METHOD

[75] Inventors: Ronny Van de Lervu, AS Sins
Janssen, Netherlands; Marlene
Fulden, Nieuwerp, Belgium; Jan
Ravenscroft, Winkels, Cty., Great
Britain

[73] Assignee: Dow Benelux N.V., Netherlands

[21] Appl. No.: 861,271

[22] Filed: Mar. 31, 1993

[51] Int. Cl. G06F 15/46

[52] U.S. Cl. 325/160, 161, 140, 155;

[53] Field of Search: 364/41801, 419,008, 343/115, 116, 131

[56] REFERENCES CITED

U.S. PATENT DOCUMENTS		
4,181,254	1/1980	Bousfield et al. 364/200
4,217,608	4/1980	Bury et al. 364/200
4,313,115	2/1982	Koschick 364/200
4,394,777	8/1982	Stee et al. 364/188
4,413,114	11/1983	Stee et al. 364/188
4,432,067	2/1984	Okeyama 364/147
4,483,128	12/1984	Strager et al. 364/200
4,515,307	10/1986	Kozumi et al. 364/147
4,638,452	1/1987	Schultz et al. 364/200
4,644,028	3/1987	DeKleer et al. 364/188
4,653,734	3/1987	Stee et al. 364/188
4,675,147	6/1987	Schultz et al. 364/200
4,681,349	7/1987	Takaki 364/200
4,616,528	3/1989	Yamashita 364/188
4,833,952	5/1989	Yamashita 364/188
4,965,345	10/1990	Brookway et al. 364/211
5,094,957	3/1991	Koceny et al. 364/147
5,053,998	10/1991	Kashowitz 364/188

OTHER PUBLICATIONS

Aho, Alfred V., Sethi, Ravi, and Ullman, Jeffrey D., *Compilers: Principles, Techniques, and Tools*, Addison-Wesley Publishing Co., 1986, pp. 43-45.
Cooling, J. E. and Hughes, T. S., "Animation Prototyping of Real-Time Systems Specifications" Proceedings from 5th Annual European Computer Technology, Bologna, May 1991, *Advanced Computer Technology, Reliable Systems and Applications*, pp. 562-564 IEEE.
Morla, D. et al., "Vitamin Toolkit: A UDMS for CDM Applications," IEEE Workshop on Languages for An-

imation, Maryland, Aug. 1988, Computer Society Press, pp. 80-83.
Hatchuel, A. M., "Visualization and Graphical Interaction in Process Control Systems," Proceedings of the IFIP TC 8/WO 8.1 Working Conference on Human Factors in Information Systems Analysis and Design, Sharding, Austria, Jan. 1990, *Human Factors in Analysis and Design of Information Systems*, pp. 31-32, North-Holland 1990.


"Control Flow Layout Algorithm for Higher Level Language Programs," IBM Technical Disclosure Bulletin, vol. 32, No. 3A, Oct. 1989, 211-213, IBM Corp.
Alfred V. Aho, et al., *Compilers: Principles, Techniques, and Tools*, Addison-Wesley Publishing Co., 1986, Sec. 3.1, "The Role of Lexical Analysis," pp. 64-84.
Alfred V. Aho, et al., *Compilers: Principles, Techniques, and Tools*, Addison-Wesley Publishing Co., 1986, Sec. 4.1, "The Role of the Parser," Sec. 4.3, Context-Free Grammars, pp. 160-171.
Allen J. Holub, *Compiler Design in C*, Prentice-Hall, Inc., 1990, Chap. 3.1, "Parse Trees and Semantic Descriptions," pp. 170-173.
Allen J. Holub, *Compiler Design in C*, Prentice-Hall, Inc., 1990, Chap. 3.1, "Flow Bottom-Up Parsing Works," Chap. 3.2, Recursion in Bottom-Up Parsing, pp. 337-343.
Dennedy and Sullivan, *RSOON The TACC-Compliant Parser Generator*, Dec. 1990, Bison Version 1.1, pp. 1-96.

Primary Examiner—Phu K. Nguyen
Attorney, Agent, or Firm—Hercules, Ditzky & Pierce

ABSTRACT

The process control display program receives input in the form of an alphanumeric process control statement. The alphanumeric statement is parsed into its constituent lexical units and graphical icons corresponding to those lexical units are arranged on the display screen in an interconnected network or pattern which corresponds to the symbolic relationship of the lexical units which make up the statement being displayed. The change or flow of live data is depicted by changing the visual quality or color of the icons and their interconnecting network to provide a graphical representation of the alphanumeric statement which is readily understood by users worldwide.

36 Claims, 27 Drawing Sheets



PAT-NO: EP000292647A2

DOCUMENT-IDENTIFIER: EP 292647 A2

TITLE: Operator assistance method for data processing.

PUBN-DATE: November 30, 1988

INVENTOR-INFORMATION:

NAME	COUNTRY
HEARIN, KAREN KASTNER	N/A
JAMES, WENDY SUE	N/A

ASSIGNEE-INFORMATION:

NAME	COUNTRY
IBM	US

APPL-NO: EP88102729

APPL-DATE: February 24, 1988

PRIORITY-DATA: US03429487A (April 1, 1987)

INT-CL (IPC): G06F003/023

;G06F003/033

EUR-CL (EPC): G06F009/44

ABSTRACT:

**CHG DATE=19990617 STATUS=O> In a computer program
requiring an instruction
statement having commands arranged in a predefined syntax, an
aid is**

incorporated to help an operator in constructing the instruction statement by causing the displaying of a first screen portion having a plurality of command areas, a designation of one of the command areas, and a second screen portion of input data alternatives for the designated command area; and, upon receiving information from the operator containing input data for the designated command area, the updating of the first screen portion to reflect such input data, the designating of a next command area and the changing of data alternatives of the second screen portion to a set appropriate to such next command area; the latter operations being repeated until all of the commands for the instruction statement have been input whereby the command is aggregated in a manner conforming to the predetermined syntax even though the operator may be unaware of that syntax. As a preliminary set-up operation, a prior display is progressively created repeatedly prompting the operator to provide input data and displaying such input data received from the operator in response to the menu, this prior display being wiped, when complete, and replaced by the two screen portion display of the preceding claims which is generated from the cumulative prior input operator data.

PAT-NO: EP000292647A2

DOCUMENT-IDENTIFIER: EP 292647 A2

TITLE: Operator assistance method for data processing.

PUBN-DATE: November 30, 1988

INVENTOR-INFORMATION:

NAME COUNTRY
HEARIN, KAREN KASTNER N/A
JAMES, WENDY SUE N/A

ASSIGNEE-INFORMATION:

NAME COUNTRY
IBM US

APPL-NO: EP88102729

APPL-DATE: February 24, 1988

PRIORITY-DATA: US03429487A (April 1, 1987)

INT-CL (IPC): G06F003/023

;G06F003/033

EUR-CL (EPC): G06F009/44

ABSTRACT:

CHG DATE=19990617 STATUS=0> In a computer program requiring an instruction statement having commands arranged in a predefined syntax, an aid is incorporated to help an operator in constructing the instruction statement by

Details Text Image HTML FRO

	U	Document ID	Current OR	Pages	Title
2	<input type="checkbox"/>	US 6026233 A	717/113	24	Method and apparatus for preser...
3	<input type="checkbox"/>	US 6667091 A	726/37	41	Video display controller, user inte...
4	<input type="checkbox"/>	US 6408603 A	346/763	66	Global process control informati...
5	<input checked="" type="checkbox"/>	EP 292647 A2		18	Operator assistance method for d...
6	<input type="checkbox"/>	US 6667091 A		41	Display controller for video displ...

Details Text Image HTML Full

Europäisches Patentamt
European Patent Office
Office européen des brevets

Publication number: 0 292 647 A2

EUROPEAN PATENT APPLICATION

Application number: 86102729.8 Int. CL: G06F 3/023
Date of filing: 84.02.88

The title of the invention has been amended (Guidelines for Examination in the EPO, A-II, 7.3).

Priority: 01.04.87 US 34294

Date of publication of application: 30.11.88 Bulletin 88/48

Designated Contracting States: DE FR GB

Applicant: International Business Machines Corporation
Old Orchard Road
Armonk, N.Y. 10804(US)

Inventor: Hearin, Karen Kastner
12316 Cabana Lane
Austin Texas 78737(US)
Inventor: James, Wendy Sue
18118 Amarillo Avenue
Austin Texas 78728(US)

Representative: Grant, John Murray
1841 United Kingdom Limited Intellectual Property Department Hursley Park
Winchester Hampshire SO21 3JN(GB)

Operator assistance method for data processing.

In a computer program requiring an instruction statement having commands arranged in a predefined syntax, an aid is incorporated to help an operator in constructing the instruction statement by causing the displaying of a first screen portion having a plurality of command areas, a designation of one of the command areas, and a second screen portion of input data alternatives for the designated command area; and, upon receiving information from the operator containing input data for the designated command area, the updating of the first screen portion to reflect such input data, the designating of a next command area and the changing of data alternatives of the second screen portion to a set appropriate to such next command area; the latter operations being repeated until all of the commands for the instruction statement have been input whereby the command is aggregated in a manner conforming to the predefined syntax even though the operator may be unaware of that syntax. As a preliminary set-up operation, a prior display is progressively created repeatedly prompting the operator to provide input data and displaying such input data received from the operator in response to the menu, this prior display being wiped, when complete, and replaced

by the two screen portion display of the preceding claims which is generated from the cumulative prior input operator data.

Intern. Copy Centre

Details Text Image HTML Full

for machine vision analysis of an object image, e.g., calls to machine vision subroutines and functions. To facilitate specification of input parameters to those subroutines and functions, the imaging element can generate a candidate image of the object upon which the machine vision analysis is to be run. A graphical input element displays over that candidate image a graphical icon that the operator can manipulate to specify the parameters. A textual input element can display an icon, e.g., a dialog box, prompting the operator to designate textually input parameters for the machine vision tool. An update element responds to the operator **selection** by appropriately modifying the stored program.

The **menu** element 16 graphically displays a list of permissible programming modifications. The programming modifications are syntactically correct—that is, they include additions or deletions that insure that the program contains proper language constructs. In a preferred embodiment, the permissible programming modifications include permissible additions, deletions and other modifications of the program. The additions, themselves, include **programming statements** e.g., commands, declarations, subroutines and functions and function calls. The preferred illustrated embodiment is intended for use in generating computer programs for machine vision analysis and, accordingly, specifically includes **programming statements** e.g., subroutine and function calls, for invoking machine vision tools. The **menu** 16 accepts responses to an operator's **selection** of a modification by generating a **selection** signal 19.

	U	A	Document ID	Current OR	Pages	Title
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6311323 B1	717/111	25	Computer programming language statement building and information
2	<input type="checkbox"/>	<input type="checkbox"/>	US 6026233 A	717/113	24	Method and apparatus for presenting selecting options to modify a
3	<input type="checkbox"/>	<input type="checkbox"/>	US 5481712 A	717/109	41	Method and apparatus for interacting generating a computer program fo

**Error
retrieving page
from server**

DOCUMENT IDENTIFIER: US 5481712 A

TITLE: Method and apparatus for interactively generating a computer program for machine vision analysis of an object

KWIC

Abstract Text - ABTX (1):

A system for interactively generating a computer program for machine vision analysis insures that the program is correct by permitting the operator to make only syntactically correct modifications to the program. The system includes an element for storing the computer program being generated. A further element displays the program to the operator. A positioning element demarks a location of interest within the program. A menu element displays permissible programming modifications for the location of interest. The menu element incorporates in its display of permissible programming modifications statements

for machine vision analysis of an object image, e.g., calls to machine vision subroutines and functions. To facilitate specification of input parameters to those subroutines and functions, the imaging element can generate a candidate image of the object upon which the machine vision analysis is to be run. A graphical input element displays over that candidate image a graphical icon that the operator can manipulate to specify the parameters. A textual input element can display an icon, e.g., a dialog box, prompting the operator to designate textually input parameters for the machine vision tool. An update element responds to the operator selection by appropriately modifying the stored program.

Details Test Image HTML KWIC

	U	Document ID	Current OR	Pages	Title
1	<input type="checkbox"/>	US 6311323 B1	717/111	25	Computer programming language statement building and informati
2	<input type="checkbox"/>	US 6026233 A	717/113	24	Method and apparatus for presenti selecting options to modify a
3	<input checked="" type="checkbox"/>	US 5481712 A	717/109	41	Method and apparatus for interact generating a computer program for

Details Test Image HTML

U.S. Patent

Jan. 2, 1996

Sheet 2 of 3

5,481,712




FIG. 2